According to Safe Work Australia

Printing date 16.01.2023 Revision: 16.01.2023

Product Name: Rywett TX

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: Rywett TX

Other Means of Identification: N/a

Recommended Use of the Chemical and Restriction on Use:

Details of Manufacturer or Importer:

Agspec Australia Pty Ltd 1 Krummel Street Mt Gambier, SA 5290

Phone Number: 1800 683 456

Emergency telephone number: 0427 490 551 or 0457 733 763

2. HAZARDS IDENTIFICATION

GHS Classification of the substance:

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by

Road and Rail. (7th edition)
Acute Toxicity - Oral: Category 4
Eye Damage/Irritation: Category 1
Skin Corrosion/Irritation: Category 2

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2

Signal Word(s):

DANGER

Hazard Statement(s):

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Pictogram(s):

Corrosion, Exclamation mark, Environment







Precautionary statement – Prevention:

P264 Wash contaminated skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement - Response

GENERAL

P310 Immediately call a POISON CENTRE or doctor/physician.

P391 Collect spillage.

INGESTION

P301+P312 IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

P330 Rinse mouth.

According to Safe Work Australia

Printing date 16.01.2023 Revision: 16.01.2023

Product Name: Rywett TX

SKIN

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P362 Take off contaminated clothing and wash before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

EYE

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statement – Disposal:

P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Name	CAS	Proportion
Octoxynol	9002-93-1	100%

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion:

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin:

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

Eye contact:

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

First Aid Facilities:

Eyewash, safety shower and normal washroom facilities.

Advice to Doctor:

Treat symptomatically.

Other Information:

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

According to Safe Work Australia

Revision: 16.01.2023

Printing date 16.01.2023

Product Name: Rywett TX

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Carbon dioxide, dry chemical, foam, water mist or water spray. Alcohol resistant foam is preferred. If not available, normal foam can be used.

Unsuitable Extinguishing Media:

Do not use water jet.

Hazards from Combustion Products:

Under fire conditions this product may emit toxic and/or irritating fumes and gases including: carbon dioxide, carbon monoxide and oxides of nitrogen.

Specific Hazards Arising From The Chemical:

This product will burn if exposed to fire.

Hazchem Code:

•3Z

Decomposition Temperature:

Not available

Precautions in connection with Fire:

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures:

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible, contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well-ventilated area. Keep containers sealed when not in use. Prevent the buildup of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

According to Safe Work Australia

Revision: 16.01.2023

Printing date 16.01.2023

Product Name: Rywett TX

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

Storage Regulations:

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limit values:

No Exposure Limit Established

Biological Limit Values:

No biological limits allocated.

Appropriate Engineering Controls:

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

Respiratory Protection:

If engineering controls are not effective in controlling airborne exposure, then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection:

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection:

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection:

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

According to Safe Work Australia

Revision: 16.01.2023

Printing date 16.01.2023

Product Name: Rywett TX

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:
Appearance:
Colour:
Odour:
Not available
Decomposition Temperature:
Not available
Not available
Not available
Not available

Freezing Point: <0°C

Boiling Point: Not available Solubility in Water: Dispersible Specific Gravity: 1.04 (20°C) (approx.) 6-8 (1% aqueous solution) :Ha Vapour Pressure: Not available Vapour Density (Air=1): Not available **Evaporation Rate:** Not available **Odour Threshold:** Not available

Viscosity: Refer to Section 9:

Kinematic Viscosity and Dynamic

Not available **Volatile Component:** Partition Coefficient: n-octanol/water: Not available Flash Point: >150°C (Open Cup) Non-Flammable Flammability: **Auto-Ignition Temperature:** Not available Flammable Limits – Lower: Not available Flammable Limits – Upper: Not available **Explosion Properties:** Not available **Oxidising Properties:** Not available **Kinematic Viscosity:** Not available **Dynamic Viscosity:** Not available

10. STABILITY AND REACTIVITY

Reactivity:

Refer to Section 10: Possibility of hazardous reactions

Chemical Stability:

Stable under normal conditions of storage and handling.

Conditions to Avoid:

Heat, open flames and other sources of ignition.

Incompatible materials:

Strong oxidising agents.

Hazardous Decomposition Products:

Thermal decomposition may result in the release of toxic and/or irritating fumes including: carbon dioxide and carbon monoxide.

Possibility of hazardous reactions:

Reacts with incompatible materials.

Hazardous Polymerization:

Not available

According to Safe Work Australia

Revision: 16.01.2023

Printing date 16.01.2023

Product Name: Rywett TX

11. TOXICOLOGICAL INFORMATION

Toxicology Information:

Available toxicity data is given below.

Acute Toxicity – Oral: LD50 (rat): >2000mg/kg Acute Toxicity – Dermal: LD50 (rat): >2000mg/kg

Ingestion:

Harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

Inhalation:

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

Skin:

Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

Eye:

Causes serious eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

Respiratory sensitization:

Not expected to be a respiratory sensitiser.

Skin Sensitisation:

Not expected to be a skin sensitiser.

Germ cell mutagenicity:

Not considered to be a mutagenic hazard.

Carcinogenicity:

Not considered to be a carcinogenic hazard.

Reproductive Toxicity:

Not considered to be toxic to reproduction.

STOT-single exposure:

Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure:

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard:

Not expected to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Toxic to aquatic life with long lasting effects.

Persistence and degradability:

Not available

Mobility:

Not available

Bioaccumulative Potential:

Not available

Other Adverse Effects:

Not available

Environmental Protection:

Do not discharge this material into waterways, drains and sewers.

Acute Toxicity – Fish:

LC50 (Bluegill sunfish): 2.8-3.2mg/l/96h

According to Safe Work Australia

Revision: 16.01.2023

Printing date 16.01.2023

Product Name: Rywett TX

13. DISPOSAL CONSIDERATIONS

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

Transport Information:

This material is classified as Dangerous Goods Class 9 Miscellaneous Dangerous Goods Class 9: Miscellaneous substances Dangerous Goods are incompatible in a placard load with any of the following:

Class 1: Explosives (when the class 9 substance is a fire risk substance) Division 5.1: Oxidising substances (when the class 9 substance is a fire risk substance) and

Division 5.2: Organic peroxides (when the class 9 substance is a fire risk substance)

Note: Special Provision AU01:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in packaging that does not incorporate a receptacle exceeding 500 kg(L); or IBC's.

U.N. Number: 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. -

(Octoxynol)

Transport hazard class(es): 9

Packing Group: III Hazchem Code: •3Z

Special Precautions for User: Not available

IERG Number: 47

UN Number (Air Transport, ICAO): 3082

IATA/ICAO Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

- (Octoxynol)

IATA/ICAO Hazard Class 9IATA/ICAO Packing Group: III IATA/ICAO Symbol: Miscellaneous Dangerous Goods

IMDG UN No: 3082

IMDG Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. -

(Octoxynol) (Octoxynol) MARINE POLLUTANT

IMDG Hazard Class: 9
IMDG Pack. Group: III
IMDG Marine pollutant: Yes

IMDG EMS: F-A,S-F

Transport in Bulk: Not available

According to Safe Work Australia

Revision: 16.01.2023

Printing date 16.01.2023

Product Name: Rywett TX

15. REGULATORY INFORMATION

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule:

Not Scheduled

16. OTHER INFORMATION

Date of Preparation or Last Revision: 16.01.2023

Prepared by: AGSPEC

References:

- 1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- 2. Standard for the Uniform Scheduling of Medicines and Poisons.
- 3. Australian Code for the Transport of Dangerous Goods by Road & Rail.
- 4. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
- 5. Workplace exposure standards for airborne contaminants.
- 6. Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH). Globally Harmonised System of classification and labelling of chemicals.

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Agspec Australia Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. Agspec Australia Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.